



MASTER HPI-T Plus

MASTER HPI-T Plus 400W/645 E40 1SL

Quartz metal halide lamps with clear outer bulb

Product data

• General Characteristics

System Description	Horizontal [Horizontal Operating Position]
Cap-Base	GES [GES]
Bulb	T46 [T 46mm]
Bulb Finish	Clear
Burning Position	p20 [Parallel +/-20D or Horizontal(HOR)]
Life to 5% failures	5000 hr
Life to 10% failures	7500 hr
Life to 20% failures	11000 hr
Life to 50% failures	20000 hr

• Light Technical Characteristics

Colour Code	645 [CCT of 4500K]
Colour Rendering Index	65 Ra8
Colour Designation	Cool White
Colour Temperature	4500 K
Lamp Luminous Flux EM	32000 Lm
Lamp Luminous Efficacy EM	84 Lm/W
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	70 %
Lumen Maintenance 20000h	60 %
Chromaticity Coordinate X	361 -
Chromaticity Coordinate Y	372 -

• Electrical Characteristics

Lamp Wattage	400 W
Lamp Wattage EM	382 W
Lamp Voltage	125 V
Lamp Current EM	3.4 A
Ignition Time	10 (max) s
Dimmable	no

• Environmental Characteristics

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content	29.5 mg
Energy consumption kWh/1000h	420 kWh

• Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
Bulb Temperature	600 (max) C

• Product Dimensions

Overall Length C	286 (max) mm
Diameter D	47 (max) mm
Light Center Length L	168 mm
Arc Length O	30.5 mm

• Product Data

Order code	179906 15
Full product code	871150017990615

PHILIPS

MASTER HPI-T Plus

Full product name MASTER HPI-T Plus 400W/645 E40 1SL
 Order product name MASTER HPI-T Plus 400W/645 E40 1SL/12
 Pieces per pack 1
 Packing configuration 12
 Packs per outerbox 12


Bar code on pack - EAN1 8711500179906
 Bar code on outerbox - EAN3 8711500182999
 Logistic code(s) - 12NC 928481600096
 Net weight per piece 0.210 kg

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)


- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury or sodium lamps

Dimensional drawing




MASTER HPI-T Plus 400W/645 E40 1SL

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
HPI-T Plus 400W/645 E40	286	47	168	30.5



E40

Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, March 31
data subject to change